FEED DELIVERY SYSTEMS





Increased Wear Performance and Easy Access to Boot

Introducing a new Flex-Flo unloader* with low profile clear boot design and custom molded clear access door built to accommodate the full line of tube anchors for M220 to M500 Flex-Flo systems.

Modular

- Single, twin, and quad versions
- Common wear plates and tube anchors
- Optional models to fit legacy unload systems

Improved Performance

- Nylon has increased wall thickness and 4X wear resistance compared to galvanized steel
- Improved tube alignment
- 30% larger opening to minimize feed bridging events
- Increased ground clearance compared to standard unloaders

Water Intrusion Protection

Custom-cut EPDM gaskets seal the tube anchors and transfer plates

Corrosion Resistance

- Durable plastic components
- Galvanized or stainless steel options available for unloader housing

Ease of Serviceability

- Replace wear plates without removing auger
- Add/remove baffles through access door
- No special tools required



*Patent Pending

Visit us at cumberlandpoultry.com



FEED DELIVERY ACCESSORIES





RELIABLE CONTROL IP66 rated actuator with accurate gate positions and quick gate closure provides reliable control. Automatic opening based on load cell, or proximity switch inputs.



SOLID CONSTRUCTION Single or twin options are available. Actuator components are mounted in a corrosion resistant housing.



REMOTE OPERATION Ability to operate slide gates at the tank or remotely inside the barn for increased bio-security.

Contact your Cumberland representative or visit cumberlandpoultry.com for more information.

